Refine Search

Search Results -

Term	Documents
DECOD$5	0
DECOD	1118
DECODA	5
DECODAB	1
DECODABLE	3280
DECODABLY	10
DECODAGE	11
DECODAGEZI	1
DECODAGEZ1	1
DECODAGEZ2	1
DECODAGEZ3	1
(L52 AND DECOD$5).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L53

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Friday, August 11, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	•		

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L53	L52 and decod$5	1	L53
L52	L51 and (map$5 or interrupt$5)	1	L52
L51	l33 and sram	1	L51
L50	l48 and look$7	1	L50
L49	L48 and permut$7	0	L49
L48	L47 and floating	1	L48
L47	L46 and (counter$1 or branch$3 or cache)	1	L47
L46	L45 and vliw	1	L46
L45	L33 and dispatch$5	1	L45
L44	L43 and stor$3	1	L44
L43	L42 and load$3	1	L43
L42	l33 and (external$3 or main)	1	L42
L41	l33 and external$3 or main	3019739	L41
L40	dram$1 and l37	1	L40
L39	L37 and 35	1	L39
L38	L37 and 36	0	L38
L37	5822606.pn.	2	L37
L36	external$3 near4 dram$1 near8 host near25 (chip or chipset or IC)	32	L36
L35	external$3 near4 dram$1 near8 host	69	L35

DB=PGPB,USPT; PLUR=YES; OP=OR

L34	L33 and pci and I near1 O	1	L34
L33	5909559.pn.	1	L33
L32	l12 and l27	4	L32
L31	l12 and l26	4	L31
L30	l3 and l28	0	L30
L29	l3 and l26	1	L29
L28	(709/238-244)[CCLS]	4174	L28
L27	(710/305-317)[CCLS]	4995	L27
L26	(710/305-317)![CCLS]	4995	L26

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L25	L21 and l10	0	L25
L24	L21 and l9	1	L24
L23	L21 and l7	0	L23
L22	L21 and l6	4	L22
L21	l1 and (north or south)	83	L21
L20	l3 and l10	1	L20
L19	l3 and l9	5	L19
L18	l3 and l7	18	L18
L17	l3 and l6	35	L17
L16	L12 and l10	0	L16

L15	L12 and l9	5	L15
L14	L12 and l7	10	L14
L13	L12 and l6	41	L13
L12	(chip or chipset or IC) and (vector) and scalar and host$3 and (north or south)	282	L12
L11	(chip or chipset or IC) and (vector) and scalar and host$3 and (north or south) near4 bridg$4	26	L11

DB=PGPB,USPT; PLUR=YES; OP=OR

L10	(712/38)[CCLS]	179	L10
L9	(712/28-40)[CCLS]	1962	L9
L8	(712/2-9)[CCLS]	458	L8
L7	(712/2-9)[CCLS]	458	L7
L6	(712/2-300)[CCLS]	12434	L6

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L5	L3 and host$3	18	L5
L4	L3 and host$3 near18 external$3	14	L4
L3	(chip or chipset or IC) near25 (vector) near20 scalar	63	L3
L2	L1 and (vector) and scalar	19	L2
L1	(chip or chipset or IC) near15 host$3 near18 external$3	802	L1

END OF SEARCH HISTORY

IEEE *Xplore*
RELEASE 2.1

Welcome United States Patent and Trademark Office

:::::Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((vector) <and> scalar <and> (chip*, ic) <and> dma <and> dram)<in>..."

☑ e-mail

Your search matched **1** of **1387402** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((vector) <and> scalar <and> (chip*, ic) <and> dma <and> dram)<in>metadata)   Search ≫

☐ Check to search only within this results set

» Key

Display Format: ◉ Citation   ◯ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items   **Select All** **Deselect All**

☐   1. **A236 parallel DSP chip provides real-time video processing economically and efficiently**
Morton, S.G.;
ELECTRO '96. Professional Program. Proceedings.
30 April-2 May 1996 Page(s):261 - 268
Digital Object Identifier 10.1109/ELECTR.1996.501237

AbstractPlus | Full Text: PDF(628 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privac

indexed by
inspec*